




Laundry logistics



Adress: Smržická 871
79841 Kostelec na Hané
Czech Republic
+420 603 145 048
matyas.dohnal@beximpaletten.cz
www.beximpaletten.cz

EN ISO 9001:2016

www.beximpaletten.cz



The company’s first production facilities were located in the former sugar factory premises in Čelechovice na Hané.



In 2006 – a new welding facility
In 2009 – a new assembly hall
Today’s production area: 4,800 m²



A purely Czech private company, BEXIM PALETTEN s.r.o., was founded in 1997 by Mr. Ing. Miroslav Dohnal.



In 2003, the company moved to a new, privately-owned production hall in Kostelec na Hané.

* Thanks to continuous investments in new technologies, the company produces more than 100,000 roll containers annually. Out of the total volume, at least 15,000 are laundry containers.

Wheels



Wheel diameter: 100 mm
Tread width: 35 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 100 mm
Tread width: 35 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 32 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:



Wheel diameter: 125 mm
Tread width: 40 mm

Rolling resistance:
Noise level during movement:
Wear resistance:
Corrosion protection:

Protective elements




bumper wheel

Additional accessories



tension rubber strap



shelf



document holder



step plate



towing device



label holder



Directional lock control

- Logistics equipment for optimal handling of clean and used laundry in laundries, hospitals, hotels, care homes...
- Easy handling is ensured by a combination of optional swivel and fixed wheels.
- At the customer's request, the container can be optionally equipped with accessories (shelves / folding shelves, plastic panels, document holder, label, rubber straps, wall deflector, coupling and drawbar, clothes rail, etc.).
- The surface treatment – electro-galvanizing with lacquer – ensures long-lasting durability.



V-321



Type	External dimensions (Width x Depth x Height)
V-321	600x810x1710 mm
V-321 (D)	720x810x1730 mm
V-321 (G)	720x810x1720 mm
V-321 (H)	720x810x1800 mm

The height includes 125 mm wheels.

V-217 (B)



Type	External dimensions (Width x Depth x Height)
V-217 (B)	810x590x1720 mm

The height includes 125 mm wheels.

V-369

Type	External dimensions (Width x Depth x Height)
V-369	800x710x1740 mm

The height includes 125 mm wheels.



V-472 (B)

Type	External dimensions (Width x Depth x Height)
V-472 (B)	670x790x1860 mm

The height includes 125 mm wheels.



V-603, V-644



V-603

V-644

Type	External dimensions (Width x Depth x Height)
V-603	720x810x1700 mm
V-644	720x810x1540 mm

The height includes 125 mm wheels.

V-370



Type	External dimensions (Width x Depth x Height)
V-370	705x800x1550 mm

The height includes 125 mm wheels.

V-604

Type	External dimensions (Width x Depth x Height)
V-604	590x730x1520 mm

The height includes 125 mm wheels.



V-509

Type	External dimensions (Width x Depth x Height)
V-509	900x520x1770 mm

The height includes 125 mm wheels.



V-515



Type	External dimensions (Width x Depth x Height)
V-515	860x665x1710 mm

The height includes 125 mm wheels.

V-034 (G)



Type	External dimensions (Width x Depth x Height)
V-034 (G)	960x480x1620 mm

The height includes 125 mm wheels.

V-516

Type	External dimensions (Width x Depth x Height)
V-516	925x545x1730 mm

The height includes 125 mm wheels.



V-642, V-642 (A)

Type	External dimensions (Width x Depth x Height)
V-642	700x800x1860 mm
V-642 (A)	700x800x1700 mm

The height includes 125 mm wheels.



V-133 (D)



Type	External dimensions (Width x Depth x Height)
V-133 (D)	860x660x1800 mm

The height includes 125 mm wheels.

V-517



Type	External dimensions (Width x Depth x Height)
V-517	850x630x1750 mm
V-517(A)	850x630x1750 mm
V-517(C)	850x630x1750 mm

The height includes 125 mm wheels.

V-193 (A)

Type	External dimensions (Width x Depth x Height)
V-193 (A)	775x575x1840 mm

The height includes 125 mm wheels.




V-614

Type	External dimensions (Width x Depth x Height)
V-614	700x400x1790 mm

The height includes 125 mm wheels.



V-520



Type	External dimensions (Width x Depth x Height)
V-520	720x810x1800 mm
V-520 (A)	720x810x1510 mm
V-520 (B)	720x810x1640 mm
V-520 (C)	720x810x1350 mm

The height includes 125 mm wheels.

V-602



Type	External dimensions (Width x Depth x Height)
V-602	720x810x1850 mm

The height includes 125 mm wheels.

V-521

Type	External dimensions (Width x Depth x Height)
V-521	850x630x1780 mm

The height includes 125 mm wheels.



V-315 (K), V-315 (L)

Type	External dimensions (Width x Depth x Height)
V-315 (K)	835x585x1820 mm
V-315 (L)	835x585x1820 mm

The height includes 125 mm wheels.



V-315 (K)

V-315 (L)

V-342 (E), V-626



V-342 (E)

V-626

Type	External dimensions (Width x Depth x Height)
V-342 (E)	845x530x1630 mm
V-626	815x585x1630 mm

The height includes 125 mm wheels.

V-522



Type	External dimensions (Width x Depth x Height)
V-522	910x540x1790 mm

The height includes 125 mm wheels.

V-186 (A)

Type	External dimensions (Width x Depth x Height)
V-186 (A)	860x660x1890 mm

The height includes 125 mm wheels.



V-523

Type	External dimensions (Width x Depth x Height)
V-523	645x850x1770 mm

The height includes 125 mm wheels.



V-524

V-227 (B)



Type	External dimensions (Width x Depth x Height)
V-524	645x850x1735 mm

The height includes 125 mm wheels.



Type	External dimensions (Width x Depth x Height)
V-227 (B)	800x1200x1600 mm

The height includes 125 mm wheels.

V-526

V-377

Type	External dimensions (Width x Depth x Height)
V-526	850x650x1700 mm

The height includes 125 mm wheels.



Type	External dimensions (Width x Depth x Height)
Cleaning trolley	490x350x1200 mm

The height includes 125 mm wheels.



V-227



Type	External dimensions (Width x Depth x Height)
V-227	580x1000x1600 mm

The height includes 125 mm wheels.

V-536



Type	External dimensions (Width x Depth x Height)
V-536 (D)	600x810x1700 mm
V-536 (E)	600x810x1520 mm
V-536 (F)	600x810x1350 mm
V-536(G)	600x810x1150 mm

The height includes 125 mm wheels.

V-227 (A)

Type	External dimensions (Width x Depth x Height)
V-227 (A)	750x850x1600 mm

The height includes 125 mm wheels.



V-539

Type	External dimensions (Width x Depth x Height)
V-539 (E)	720x810x1800 mm
V-539 (F)	720x810x1700 mm
V-539 (G)	720x810x1520mm
V-539 (H)	720x810x1350 mm
V-539 (I)	720x810x1150 mm

The height includes 125 mm wheels.



V-541



Type	External dimensions (Width x Depth x Height)
V-541	600x740x1550 mm
V-541 (A)	600x740x1380 mm
V-541 (B)	600x740x1180 mm

The height includes 125 mm wheels.

V-224



Type	External dimensions (Width x Depth x Height)
V-224	880x460x1500 mm

The height includes 125 mm wheels.

V-327

Type	External dimensions (Width x Depth x Height)
V-327	940x560x1785 mm

The height includes 125 mm wheels.



V-355

Type	External dimensions (Width x Depth x Height)
V-355	710x900x1705 mm

The height includes 125 mm wheels.



V-205



Type	External dimensions (Width x Depth x Height)
V-205(D)	970x665x1700 mm
V-205 (C)	995x665x1700 mm

The height includes 125 mm wheels.

V-389



Type	External dimensions (Width x Depth x Height)
V-389	740x560x1830 mm

The height includes 125 mm wheels.

V-643

Type	External dimensions (Width x Depth x Height)
V-643	920x500x860 mm
V-643(A)	920x600x860 mm

The height includes 125 mm wheels.



V-097 (B)

Type	External dimensions (Width x Depth x Height)
V-097 (B)	805x715x1700 mm

The height includes 125 mm wheels.




V-352



Type	External dimensions (Width x Depth x Height)
V-352	1290x700x1800 mm

The height includes 125 mm wheels.

V-101




Type	External dimensions (Width x Depth x Height)
V-101	680x460x1530 mm

The height includes 125 mm wheels.

V-353

Type	External dimensions (Width x Depth x Height)
V-353	660x800x1800 mm
V-353 (A)	720x800x1730 mm

The height includes 125 mm wheels.



V-192 (B)

Type	External dimensions (Width x Depth x Height)
V-192 (B)	880x460x1520 mm

The height includes 125 mm wheels.

